



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/053,446	01/17/2002	Janis Virbulis	VIRBULIS ET AL -I	3544

7590 04/04/2005

COLLARD & ROE, P.C  
1077 Northern Boulevard  
Roslyn, NY 11576-1696

EXAMINER	
SONG, MATTHEW J	
ART UNIT	PAPER NUMBER
1722	

DATE MAILED: 04/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/053,446	<b>Applicant(s)</b> VIRBULIS ET AL.	
	<b>Examiner</b> Matthew J Song	<b>Art Unit</b> 1722	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 January 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1, 2, 14, 17 and 18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 14, 17 and 18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

*Te*

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-2 and 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tamatsuka et al (US 6,139,625) in view of Luter et al (US 6,053,974) along with Aratani (DE 3701811), an English Abstract has been provided.

Tamatsuka et al discloses 8-inch diameter (203.2 mm) silicon single crystal ingots were pulled by the Czochralski method with an oxygen concentration of  $0.7 \times 10^{18}$  atoms/cm<sup>3</sup> or more (Table 1) from a silicon melt in a quartz crucible with a diameter of 18 inches (457.2 mm) (col 8, ln 1 to col 9, ln 65).

Tamatsuka et al does not disclose a heat shield above the crucible.

Art Unit: 1722

In a method of forming a single crystal by the Czochralski method, note entire reference, Luter et al teaches a heat shield **40** mounted above the surface of a molten source material for growing ingots with a diameter of about 220 mm (Fig 1, col 4, ln 1-67 and col 5, ln 1-15). Luter et al also teaches the overall gradient at the surface is reduced which reduces the number of defects at the surface and the distribution of defects is more even throughout the ingot for ingots produced with the heat shield (col 7, ln 1-15). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Tamatsuka et al with Luter et al's heat shield to reduce defects in the ingot.

The combination of Tamatsuka et al and Luter et al is silent to exposing the silicon melt to an influence of a traveling magnetic field which exerts a substantially vertically orientated force on the melt in a region of the crucible wall.

In a method of producing a single crystal using the Czochralski method, Aratani teaches applying a downwardly traveling magnetic field to the melt in the crucible, this reads on applicants' vertically oriented force. Aratani also discloses a single magnetic field application device **8**, note Figure 1, this reads on applicants' except for the traveling magnetic field no further magnetic field being applied to the melt.

Travelling magnetic field are known in the art to be advantageous in minimizing dissolution of oxygen from the silica material of a crucible and for stirring a melt in Czochralski processes, as evidenced by Aratani (DE 3701733) and Szekely et al (US 5,196,085) below. Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Tamatsuka et al and Luter et al by applying a traveling

Art Unit: 1722

magnetic field, as taught by Aratani to minimize dissolution of oxygen from the silica of the crucible and for stirring the melt, which is desirable.

Referring to claim 1, the combination of Tamatsuka et al, Luter et al, and Aratani teach pulling a silicon ingot with a diameter of 8 inches from a 18 inch crucible, a heat shield for reducing defects and vertical magnetic field to eliminate flow instabilities. Also, the combination of Tamatsuka et al, Luter et al, and Aratani teaches a magnetic field with an intensity of 20-200 Gauss ('811 Fig 7), which is equivalent to 2-20 mT. The magnetic field intensity taught by the combination of Tamatsuka et al, Luter et al, and Aratani is within the range taught by applicant, 2-15 mT (page 10 of the instant specification); therefore inherently has an intensity sufficient to attenuate low-frequency temperature fluctuations in the melt.

Referring to claim 2, the combination of Tamatsuka et al, Luter et al, and Aratani teach oxygen concentrations of  $0.7 \times 10^{18}$  atoms/cm<sup>3</sup> or more

Referring to claim 17, the combination of Tamatsuka et al, Luter et al, and Aratani teaches an upward force (aufwärtsFluß) ('811 col 5, ln 1-15).

Referring to claim 18, the combination of Tamatsuka et al, Luter et al, and Aratani teaches a downward force ('811 Abstract)

3. Claims 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tamatsuka et al (US 6,139,625) in view of Luter et al (US 6,053,974) along with Aratani (DE 3701811), an English Abstract has been provided, as applied to claims 1-2 and 17-18 above, and further in view of Lari et al.(US 4,905,756) or Morishita et al (JP 61-029128), an English Abstract has been provided.

The combination of Tamatsuka et al, Luter et al and Aratani teach all of the limitations of claim 14, except the traveling magnetic is due to three coils which are connected to a 3-phase power supply and the traveling magnetic field exerts a substantially vertically oriented force on the melt is generated by suitable selection of an order of connections; and the connections of the coils have a phase angle in an order of  $0^{\circ}$ - $60^{\circ}$ - $120^{\circ}$  or  $0^{\circ}$ - $120^{\circ}$ - $240^{\circ}$ . The combination of Tamatsuka et al, Luter et al and Aratani teaches providing a traveling magnetic field but is silent to the means of producing the magnetic field

In an apparatus for producing magnetic fields, note entire reference, Lari et al teaches a magnetic field traveling wave is produced with only two coil layers with current  $180^{\circ}$  out of phase and in the preferred embodiment, three coil layers  $120^{\circ}$  out of phase are used, this reads on applicant connections of the coils have a phase angle in an order of  $0^{\circ}$ - $120^{\circ}$ - $240^{\circ}$ . Lari et al also teaches an AC source supplies three-phase alternating current. Also, additional coil waves could be used to produce a traveling wave, for example four coils  $90^{\circ}$  out of phase. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Tamatsuka et al, Luter et al and Aratani with Lari et al's means of producing a traveling magnetic field because selection of a known material based on its suitability for its intended use is held to be obvious (MPEP 2144.07).

In an apparatus for providing a magnetic field, Morishita et al teaches a magnetic generator made of a coil 30, which is formed of coils 31a, 31b 31c. And when a 3-phase AC current having  $120^{\circ}$  different positions are respectively flowed to the coils, a traveling magnetic field which moves in a prescribed direction is generated (Abstract), this reads on applicant connection of the coils have a phase angle in an order of  $0^{\circ}$ - $120^{\circ}$ - $240^{\circ}$ . It would have been

Art Unit: 1722

obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Tamatsuka et al, Luter et al and Aratani with Morishita et al's means of producing a traveling magnetic field because selection of a known material based on its suitability for its intended use is held to be obvious (MPEP 2144.07).

***Response to Arguments***

4. Applicant's arguments, see page 6 of the remarks, filed 1/20/2005, with respect to the USC 112, first paragraph rejection have been fully considered and are persuasive. The rejection of claims 1 and 14 has been withdrawn. The amendment has overcome the rejection.
5. Applicant's arguments, see page 9 of the remarks, filed 1/20/2005, with respect to Szekely et al have been fully considered and are persuasive. The rejection of claim 4 has been withdrawn. The amendment has overcome the rejection.
6. Applicant's arguments filed 1/20/2005 have been fully considered but they are not persuasive.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., applying the traveling magnetic field with sufficient intensity in order to produce enhanced convection (pg 8)) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

In response to applicant's argument that the prior art does not teach applying a magnetic field with an intensity sufficient to attenuate low-frequency temperature fluctuations in the melt, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). Aratani teaches applying a magnetic field with an intensity of 20-200 Gauss (2-20 mT), which is sufficient to obtain the claimed effect because applicant teaches using a magnetic field with an intensity of 1-15 mT, note page 10 of the instant specification.

### ***Conclusion***

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Aratani (DE 3701733) teaches applying a traveling magnetic field to a melt in a Czochralski process minimizes dissolution of oxygen from silica material of a crucible (Abstract).

Szekely et al (US 5,196,085) teaches a CZ growing system with an axial magnetic field in the vicinity of the melt-crystal interface and melt stirring can be accomplished magnetically by inducing vertical motion with a traveling field (col 2, ln 1-67) and vertical magnetic fields are useful for stabilizing flow (col 1, ln 5-62).

Wilson et al (US 6,284,384) teaches  $5 \times 10^{17}$  atoms per  $\text{cm}^3$  is equivalent to 10 oxygen atoms per million total atoms in the wafer (col 8, ln 64 to col 9, ln 15).



Nanaka (JP 62-070286) teaches a magnetic field directed downward (Fig 1) and a magnetic field directed upward (Fig 4), note abstract.

Iida et al (US 6,077,343) teaches a Czochralski method employing a heat shield and a magnetic field (col 10, ln 1-67).

Kawanishi et al (US 6,086,671) teaches a magnetic field directed upward a crucible wall (col 3, ln 1-67).

Crowley et al (US 4,808,079) teaches at least two coils which are electrically connected to a three-phase power source is used to produce a traveling magnetic field (col 2, ln 25-35 and col 3, ln 1-20).

Ou-Yang (US 6,636,037) teaches a traveling magnetic field is provided by three coils driven by a phase that is 120° offset from the last phase signal (col 7, ln 1-50).

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 1722

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J Song whose telephone number is 571-272-1468. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Benjamin Utech can be reached on 571-272-1137. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MJS  
March 29, 2005

Matthew J Song  
Examiner  
Art Unit 1722

  
ROBERT KUNEMUND  
PRIMARY EXAMINER